

Global and Local Facial Feature Extraction using Gabor Filters

Ms. B. Saranya Bargavi, Ms C. Santhi

Abstract— Recently face recognition is utilized in real time applications like security systems, attendance systems, video-surveillance systems, visitor management systems, etc., Face recognition systems are mainly composed of two modules: face detection module and face verification module. The purpose of former is to determine whether there are any faces in an image, while the later involves confirming or denying the identity of that person. Face recognition algorithms commonly assume that face images are well aligned and have a clear pose, yet it is not possible in many practical applications. The features of the face are extracted using two filters, i.e., local filters focused on accuracy and global filters focused on processing time. Real time applications require both these features. The paper proposes a face recognition system which involves Gabor filters, that are used for extraction of the global and local facial features. These local features are combined when the global features represented are not clear. These features are fused to form a feature vector to be used as a face descriptor for recognition. Gabor filter is pose robust and this filter works with sub blocks and hence it is highly illumination tolerant. The fusion of local and global features gives good representation for recognition. 2Dimensional Hidden Markov Model (2D-HMM) is used for recognition of the faces from the database.

Index Terms—Feature Extraction, Gabor Features, Global Feature, Local Feature, 2Dimensional Hidden Markov Model.

I. INTRODUCTION

Face recognition has recently become a very active research area because of the increased interest in biometric security systems in general. Face recognition systems are widely used in computer vision for various image processing activities.

The system measures the overall face structure, including distances between eyes, nose, mouth and cheeks. With the use of these unique features face recognition-system stores face templates into its database for further classification. There are several challenges associated with facial feature detection and can be attributed by the factors like intensity, illumination conditions, occlusion, unnatural intensities etc.,

The research on face recognition categorizes it into the following approaches:

1. Feature-based approach
2. Holistic or global approach
3. Hybrid approach




Fig. 1 Approaches to face recognition

The system consists of two modules: pre-processing part and recognition part [2]. Pre-processing part is used to remove various unwanted background information and make the picture ready for proceeding. Recognition part is carried out using various algorithms in various stages and classification of the face image is done.

II. BACKGROUND IDEA

There are numerous application areas in which face recognition can be exploited for these two purposes, a few of them are:

- Security (access control, computer/ network security; email).
- Surveillance (CCTVs to monitor criminals, drug offenders).
- Criminal justice systems (mug-shot/booking systems, post-event analysis, forensics).
- Image database investigations (searching image databases of licensed drivers, benefit recipients, missing children, immigrants and police bookings).
- “Smart Card”
- Multi-media environments that use adaptive human computer interfaces (part of ubiquitous or context aware systems, behavior monitoring at childcare or old people’s centers, recognizing a customer and assessing his needs).
- Video indexing (labeling faces in video).
- Witness faces reconstruction.

Manuscript received March , 2014

B. Saranya Bargavi, PG student, Department of Computer Science and Engineering, United Institute of Technology, Coimbatore, Tamil Nadu.

C. Santhi, Assistant Professor, Department of Computer Science and Engineering, United Institute of Technology, Coimbatore, Tamil Nadu.

The human face provides useful information during interaction; therefore, any system integrating Vision- Based Human Computer Interaction requires fast and reliable face and facial feature detection [5] for face recognition. Hence this paper focuses of enhancing the accuracy of recognition of the face even in pose variations and various illumination conditions.

III. RELATED WORK

There are various Image-Based Face Recognition Algorithms like PCA, LDA, ICA, EP, EBG, Kernel Methods, Trace Transform, AAM, 3-D Face Recognition, 3-D Morphable Model, Bayesian Framework, SVM, HMM. Many authors used their own methods of combining the algorithms.

Viola and Jones[12] designed for general object detection, has gained widespread acceptance due to the availability of an open source implementation. The utility of facial feature detection was exploited by face detection systems based on weak cues, such as color or motion, in order to confirm that a candidate blob is really a face. Adaboost-based detectors have been combined with temporal coherence to perform faster and reliable face detection in video stream processing. Recently, human face detection algorithms based on color information have been reported [13,14].

But facial feature extraction based on skin tone will not be always clear to specify the vector. Gabor based facial feature extraction [4] was proposed which is based on texture of the face image. A novel face recognition approach based on fusing global and local features is proposed in [3] to provide better accuracy. Discrete Wavelet Transform (DWT) [4] is proposed in which each function can be perceived at intermediate levels. The advantage of Wavelet Transform (WT) is that its ability to analyze the signal in both time and spatial domains. DWTs also have higher flexibility, better compression ratio and performance. The system involves Discrete Gabor Wavelet Transform (DGWT) for feature extraction and 2D HMM for recognition. Every HM model consists of two correlated processes layers:

- 1) An underlying unobservable Markov chain with finite number of states, their transition probability matrix and an initial state probability distribution matrix
- 2) A set of probability density function (PDFs) that are associated with each individual state.

The polynomial-based radial basis function neural network [2] is used as the recognition part. Data preprocessing algorithm presented as 2 dimensional linear discriminant analysis (2D-LDA) [2] is exploited for data preprocessing. A concept of polynomial-based radial basis function neural networks (P-RBF NNs) is based on fuzzy inference mechanism.

IV. PROPOSED WORK

This work uses local and global Gabor features extracted from the whole face and nine non-overlapping subparts of the image. Feature vectors are extracted from these feature

extracted images and are fused to form a single vector to represent the image. These feature vector is very large and hence to store it in the database some processing to be done. 2DLDA (2 Dimensional Linear Discriminant Analysis). The out coming result is fed to the database for further processing by 2D Hidden Markov Model. This improves the accuracy of the system.

The flow diagram of the system is shown in figure 2.




Fig. 2 Flow diagram of the system

A. Gabor Feature Extraction

Gabor filters are widely used in face recognition as feature generator [15,16]. In the spatial domain, a two-dimensional Gabor filter is a Gaussian kernel function[17] modulated by a complex sinusoidal plane wave, defined as:

$$G(x, y) = \frac{f^2}{\pi\gamma\eta} \exp\left(-\frac{x'^2 + \gamma^2 y'^2}{2\sigma^2}\right) \exp(j2\pi fx' + \phi) \quad (1)$$

$$x' = x \cos \theta + y \sin \theta \quad (2)$$

$$y' = -x \sin \theta + y \cos \theta \quad (3)$$

Where f is the frequency of the sinusoidal factor, θ represents the, ϕ is the phase offset, σ is the standard deviation and γ is the spatial aspect ratio.

Gabor wavelet filter employed on whole image to extract the features from the face image. 1D feature vector is obtained from this feature extracted image and used for further processing. The face image is again divided into nine non-overlapping sub-images. The local features extracted are used to overcome the changes in some region of face. Feature vectors are extracted from individual part and these are fused to form a single feature vector.

Gabor features demonstrate two desirable characteristic: spatial locality and orientation selectivity as in Fig 3.




Fig. 3 Real part of Gabor function for five different scales and eight different orientations

Gabor kernel is used to represent the features from the image. Lower bound and Upper bound frequencies are given by:

$$f_{LB} = \frac{1}{x_1 \sqrt{2}} \quad \text{and} \quad f_{UB} = \frac{1}{x_2 \sqrt{2}} \quad (4)$$

The values of x_1 and x_2 are chosen such that $x_1 > x_2$. A set of frequencies to be used at each wavelet point is obtained by starting at f_{LB} and multiplying by 2 until f_{UB} is reached.

The number of frequencies is given by P at different wavelet points [4]. The number of orientations is given by Q. The number of wavelet points is given by R and these values are used to calculate the Gabor responses. Gabor improves the performance in the presence of occlusions.

B. 2Dimensional HMM

In this method dependencies of each block arise from adjacent diagonal, horizontal and vertical neighbors for each block. So the transition probability of state, $s(i, j)$ in the model depends on its adjacent neighboring states in horizontal, vertical and diagonal directions.

Assume there are M states $\{1, 2, \dots, M\}$, and for each block (i, j) , $i = \{1, 2, \dots, I\}$; $j = \{1, 2, \dots, J\}$, where I and J are the numbers of row and column blocks. Transition probability of state, $s(i, j)$ is stated as follows:

$$P\{s(i, j) = l | s(i-1, j) = m, s(i-1, j-1) = n, s(i, j-1) = k\} = a_{(m,n,k,l)} \quad (7)$$

Where $m, n, k, l \in \{1, 2, \dots, M\}$ are actual values of the state.

The probability of all-state sequence S can be decomposed as products of probabilities of conditional - independent subset-state sequences [18] $U_0, U_1 \dots$

$$P(S) = P(U_0)P(U_1/U_0) \dots P(U_i/U_{i-1}) \dots \quad (8)$$




Fig. 4 (a) State transition diagram of proposed 2D-HMM and (b) its decomposed subset-state sequences.

V. EXPERIMENTAL RESULTS

The face image is detected and cropped from the given input image. This is shown in fig 5.



Fig. 5 Cropped Face Image

The cropped face image is fed into system and 40 Gabor responses are recorded from a single facial image in different scales and orientations. Figure 6 shows the Gabor response for this input image.




Fig. 6 Gabor feature extracted image

Feature vector is extracted from the Gabor extracted image for it to be stored in the database. The parameters like Mean, Standard Deviation, Root Mean Square, Mean Absolute, Skewness are used for calculating the feature vector. These values produce one dimensional values for its individual processings. Hence the output from this will yield a five row matrix. This matrix cannot be used as feature vector as it is not 1D. The value of the feature vector calculated from these five values will produce a one dimensional vector values to be stored in the database. The graph plotted for this value will yield the curves as shown in fig 7.




Fig.7 Graph for the global feature vector.

To enhance the value of the features stored in the database the feature of the local parts can be considered. The input image is then divided into nine non-overlapping sub blocks to extract its features. Figure 8 shows the sub blocks of the image and its respective gabor output.




Fig.8. Nine sub blocks of the image and its gabor output

The graph plotting for the values of the feature vector is shown in figure 9.




Fig 9. Graph of the Feature vector

This feature vector result comparison can be that the analyzed that the values obtained from the feature vector taken from the whole image has the values ranging between 0.37 and moves back and forth and ends up with the last value around 0.37. When considering the values of the vector of the four parts 1D the values range between 0.2 and 0.25. Some values in the range are beyond the limit and the curve variations are shown in the graph. To avoid the outliers some processing must be done for the pixel values of the image. In the graph of the nine sub blocks split up image this problem is overcome. The values are within the range and no more variations in the value limits.

VI. CONCLUSION

The proposed feature extraction method extracts the facial features of all the sub blocks and constructs the feature vector. The feature vector is then saved in the database. The classifier takes these values and compares these values with the feature vector of the trained images and returns the closely related image. Finally, the best matching face is returned as the result to the application device. This system will provide better results than existing in conditions of pose variations and various illumination conditions.

REFERENCES

[1] Abhishek Bansal, Kapil Mehta, Sahil Arora – “Face Recognition Using PCA & LDA Algorithms”, 2012 Second International Conference on Advanced Computing & Communication Technologies, IEEE 2012, Pg.No. 251-254.
 [2] S.H. Yoo, S.K. Oh, W. Pedrycz, - “Design of Face Recognition Algorithm Realized with Feature Extraction from 2D-LDA and Optimized Polynomial-based RBF NNs”, 2013 IEEE Pg.No. 655 – 660.

[3] Sara Nazari, Mohammad-Shahram Moin, - “Face Recognition Using Global and Local Gabor Features”, 2013 IEEE.
 [4] Mukundhan Srinivasan, Nivas Ravichandran - “A New Technique For Face Recognition Using 2D-Gabor Wavelet Transform With 2D-Hidden Markov Model Approach”, 2013 International Conference on Signal Processing, Image Processing and Pattern Recognition [ICSP], 2013 IEEE, Pg.No. 1-6.
 [5] Modesto Castrillon, Oscar Deniz, Daniel Hernandez, Javier Lorenzo, - “A comparison of face and facial feature detectors based on the Viola–Jones general object detection framework”, Springer-Verlag 2010, Pg.No. 481-494.
 [6] Soma Biswas, Gaurav Aggarwal and Patrick J. Flynn “Face Recognition in Low-Resolution Videos Using Learning-Based Likelihood Measurement Model”, IEEE, 2011, Pg.No. 1-7.
 [7] Unsang Park, Anil K. Jain and Arun Ross - “Face Recognition in Video: Adaptive Fusion of Multiple Matchers”, IEEE, June 2007.
 [8] Xiaozheng Zhang, Yongsheng Gao- “Face recognition across pose: A review”, Elsevier Pattern Recognition, April 2009, Pg.No. 2876-2896.
 [9] Fengzhi Dai, Naoki Kushida, Liqiang Shang Masanori Sugisaka - “A survey of genetic algorithm-based face recognition”, ISAROB, January 2011, Pg.No. 271-274.
 [10] Eslam Mostafa, Riad Hammoud, Asem Ali, Aly Farag, - “Face recognition in low resolution thermal images”, 2013 Elsevier Inc, Pg.No. 1689-1694.
 [11] Ilias Maglogiannis, Demosthenes Vouyioukas, Chris Aggelopoulos - “Face detection and recognition of natural human emotion using Markov random fields, Springer -Verlag London Limited, 2007, Pg.No. 95-101.
 [12] Paul Viola- “Robust real-time face detection”. International Journal of Computer Vision, 2004, Pg.No. 151–173.
 [13] K.-M. Lam, H. Yan, An analytic-to-holistic approach for face recognition based on a single frontal view, IEEE Trans. Pattern Anal. Mach. Intell. 20 (1998) 673686.
 [14] K. Sobottka, I. Pitas, A novel method for automatic face segmentation, facial feature extraction and tracking, Signal Process. Image Commun. 12 (1998) 263281.
 [15] M. Lades, J. Vorbruggen, J. Buhmann, J. Lange, C. Von der Malsurg, R. Wurtz, and W. Konen, “Distortion invariant object recognition in the dynamic link architecture,” Computers, IEEE Transactions on vol. 42, no. 3, pp. 300–311, 2002.
 [16] C. Liu, “Gabor-based kernel PCA with fractional power polynomial models for face recognition,” Pattern Analysis and Machine Intelligence, IEEE Transactions on, vol. 26, no. 5, pp. 572–581, 2004.
 [17] Mohammad Haghighat, Saman Zonouz, and Mohamed Abdel-Mottaleb, “Identification Using Encrypted Biometrics”, Springer - Verlag Berlin Heidelberg 2013, pp. 440-448.
 [18] Xiang Ma, Dan Schonfeld and Ashfaq Khokhar, “A General Two-Dimensional Hidden Markov Model And Its Application In Image Classification”, 2007 IEEE, pp. 41-44